OUTDOOR CARPORT / AWNING

Wedicom Canada Inc.



The team you trust
The products you count on





Main Products





A6 Single Carport



Side Pull Carport

Main Products



M Type Carport



Back Pul Carport



6 Benefits To Install Carport

Features Of Materials



Protect car from wind and rain

It keeps car from rust and dust, last the car paint and life, to keep the car wellmaintained.



Strong roof sheet to provide your car a safer parking

The polycarbonate roof have strong impact strength, to prevent the car from destroying by falling objects.



Prevent from frosting and snowing

Good snow loading capacity to make your car safe and clean even in heavy snowy day.



Convenitent to get in and out especially in the bad weather

No need to worry about getting wet and loading baggage.




To let the light in, but cut off the UV

It cuts off 100% harmful UV, to protect the car paint from bleaching.



Protect your car from temperature rising

It protects your car from direct sunlight and keeps your car a cooler inside temperature.






It cuts off heat ray transmission by 75% and lower the interior temperature when a car is parked under the polycarbonate roof.

Choose Us, Choose Professional

Panel

Polycarbonate roof are made of Germany Bayer Material which can use more than 10 years



Aluminum

Use highy quality and environmental-friendly Alunminum which fulfills with the international standard



Snow load and wind load

Aluminum alloy structure and the combination of polycarbonate plate can load 20-50 cm snow. Resistance to 36m / s strong wind, significantly improve its wind resistance.




UV Resistance

There is Co-extrusion UV on the surface which can effectively block more than 98% UV rays.



A6 Single Carport





Standard Size	5500 x 3000 x 2400/3000mm
Roof Material	Germany Bayer Polycarbonated Sheet
Color Options for Frame	White, Purple, Grey, Champagne
Color Options for Roof	Light/Dark Grey, Blue, Clear
Snow load	20-50cm
Window load	36m/s
Installation Way	Fixed on concrete ground or bury into the ground






WEDICOM

M Type Carport






Standard Size	5500 x 6000 x 2400/3000mm, 5500 x 5600 x 2400/3000
Roof Material	Germany Bayer Polycarbonated Sheet
Color Options for Frame	White, Purple, Grey, Champagne
Color Options for Roof	Light/Dark Grey, Blue, Clear
Snow load	20-50cm
Window load	36m/s
Installation Way	Fixed on concrete ground or bury into the ground





Back Pull Carport






Standard Size	3000 x 5500 x 2400mm	
Roof Material	Germany Bayer Polycarbonated Sheet	
Color Options for Frame	White, Purple, Grey, Champagne	
Color Options for Roof	Light/Dark Grey, Blue, Clear	
Snow load	20-50cm	
Window load	36m/s	
Installation Way	Bury into the ground	





Side Pull Carport






Standard Size	3000 x 5500 x 2200mm	
Roof Material	Germany Bayer Polycarbonated Sheet	
Color Options for Frame	Champagne	
Color Options for Roof	Light/Dark Grey, Blue, Clear	
Snow load	20-50cm	
Window load	36m/s	
Installation Way	Bury into the ground	





Solar Carport Partial Enlarged Detail





Standard Size	4057 x 6649 x 2400mm
Roof Material	Solar Panel
Color Options for Frame	Grey
Color Options for Roof	Grey
Snow load	50cm
Window load	40m/s
Installation Way	Bury into the ground
Features	Anti ging \ Wind and snow resistant \ Thermal insulation and waterproof \ Easily drainage \ Stable electricity \ Unique carport roof structure \ Elegant design \ Assembly structure





Color Options Project Case

Plycarbonate Sheet









Dark Grey

Light Grey

Blue


Clear

Aluminum Structure









Project Case







Project Case











Display



WEDICOM

R Type Window Awning







Standard Size	Customized	
Roof Material	Germany Bayer Polycarbonated Sheet	
Color Options for Frame	White, Purple, Grey, Champagne	
Color Options for Roof	Light/Dark Grey, Blue, Clear	
Snow load	20-50cm	
Window load	36m/s	
Installation Way	Fixed on concrete ground or bury into the ground	





R Type Terrace Awning





Standard Size	Customized	
Roof Material	Germany Bayer Polycarbonated Sheet	
Color Options for Frame	White, Purple, Grey, Champagne	
Color Options for Roof	Light/Dark Grey, Blue, Clear	
Snow load	20-50cm	
Window load	36m/s	
Installation Way	Fixed on concrete ground or bury into the ground	





Color Options Project Case

Plycarbonate Sheet









Dark Grey

Light Grey

Blue

Clear

Aluminum Structure









Puple Grey

White

Project Case







Project Case









Tel: +1905 921 4274 - Dima Web: pergola.wedicom.com Add: 1 East Street North, Dundas ON, L9H 1N5



The team you trust The products you count on